



## National Data Centre Preparedness Exercise (NPE) 2019 Scenario Design and Expert Technical Analysis

J. Ole Ross<sup>1</sup>, Giuseppe Ottaviano<sup>2</sup>, Antonietta Rizzo<sup>2</sup>,  
Peter Gaebler<sup>1</sup>, Nicolai Gestermann<sup>1</sup>, Lars Ceranna<sup>1</sup>

<sup>1</sup>BGR/B4.3 - Federal Institute for Geosciences and Natural Resources, Germany


<sup>2</sup>ENEA - Agency for New Technologies, Energy and Sustainable Economic Development, Italy

O4.1-636



**NPE history**

120°W 60°W 0° 60°E 120°E



**NPE are partially simulated scenarios of potentially CTBT relevant events and cases**

*(often real waveform events combined with simulated RN evidence)*

**NPE shall test and improve**

- ▶ Analysis procedures
- ▶ Data products
- ▶ Communication routines between experts
- ▶ Bringing together different types of information ...
- ▶ ... and scientists from various disciplines


## Scenario NPE 2019 – An Italian-German collaboration

### Colleagues from ENEA, Bologna:

- ▶ Scenario Storyline
- ▶ Radionuclide source terms
- ▶ RRR design

### BGR, Hannover, German NDC:

- ▶ Seismic event selection
- ▶ Forward ATM for RN concentrations
- ▶ ETA request and additional seismic data
- ▶ Organizational issues and website



### Initial announcement by fictitious alpine state Raetia :

- ▶ Accident at TRIGA reactor, Pavia, morning of 30th July 2019
- ▶ Small release of radioactive isotopes expected
- ▶ Local monitoring in place, no hazardous level
- ▶ No radiological protection measures required

### NPE 2019 timeline

November 2019  
Announcement,  
RN concentrations

December 2019  
ETA, with additional NTM  
Exercise SRMR released

January 2020  
Distribution of SRMR

Februar 2020  
Additional seismic data

April 2020  
Disclosure and discussion at  
NDC Workshop in Toledo

June 2021  
Disclosure at S&T

? NDC discussion about  
results and future

## Particulate RN detections

After the announced reactor accident there were widespread particulate radionuclide detections reported of


Ba-140, La-140, Cs-134, Cs-137

At stations  
RN 41, 40, 48, 36, 55, 21

## Noble Gas RN detections

At DEX33  
Xe-133, Xe-135,  
Xe-133m, Xe-131m

Concentrations were delivered in a RRR like format



This is a NPE2019 RRR with simulated concentrations, not an IDC generated.

Particulate Version  
Creation Date: 2019/08/15 10:50:00  
Sample Arrival Time: 2019/08/8 23:50:00  
Time difference from receipt of raw data to report creation: 203 hours

SAMPLE INFORMATION =====

Station ID:	KWP40	Detector ID:	KWP40_009
Authenticated:	NO		
Station Location: Kuwait City, Kuwait.			
Detector Description: Detector #1, in Kuwait City, Kuwait.			
Sample ID:	5252508	Sample Geometry:	DISC50MMX5
Sample Quantity:	14569.80 m3	Sample Type:	Particulate

## NPE 2019 timeline

November 2019  
Announcement,  
RN concentrations

December 2019  
ETA, with additional NTM  
Exercise SRMR released

January 2020  
Distribution of SRMR

February 2020  
Additional seismic data

April 2020  
Disclosure and discussion at  
NDC Workshop in Toledo

June 2021  
Disclosure at S&T

? NDC discussion about  
results and future

## Need for Expert Technical Analysis (ETA)

### Neighbour state EASTRIA's situation

- ▶ Mistrust against neighbour state
- ▶ National measurements of untypical particulates and xenon activity concentrations
- ▶ Particulates somehow consistent with IMS measurements and maybe with a release from TRIGA reactor
- ▶ Xenon origin questionable, not totally consistent with DEX33 measurements
- ▶ No suspicious SHI event in REB
- ▶ Need for assistance and help → **ETA**

#### Protocol to the CTBT Part I section E 20.

*IDC ... shall include the following services: ...  
 (c) Assisting individual States Parties, at their request and at no cost for reasonable efforts, with **expert technical analysis** of International Monitoring System data and other **relevant data** provided by the requesting State Party, in order to help the State Party concerned to **identify the source of specific events**. The output of any such technical analysis shall be considered a product of the requesting State Party, but shall be available to all States Parties.*

*Inspired by series of Expert Meetings on Special Studies and Expert Technical Analysis 2018 / 2019*

#### NPE 2019 timeline

November 2019  
 Announcement, RN concentrations

December 2019  
 ETA, with additional NTM Exercise SRMR released

January 2020  
 Distribution of SRMR

February 2020  
 Additional seismic data

April 2020  
 Disclosure and discussion at NDC Workshop in Toledo

June 2021  
 Disclosure at S&T

? NDC discussion about results and future

## Expert Technical Analysis (ETA) request

### ETA request by EASTRIA

Eastria has provided national NPE2019 radionuclide measurements to the IDC and requests assistance with an Expert Technical Analysis to identify potential sources. Within the request it was asked for

1. Backward Atmospheric transport modelling for the given samples
2. Search for (real) waveform events in the region of potential origin including events not yet included in IDC SEL/REB products.
3. Characterization of the isotopic composition and assessment of possible connection to other scenario samples

### +++EXERCISE SCENARIO, SIMULATED CONCENTRATIONS BASED ON FICTITIOUS FORWARD ATM +++

The virtual sampling was performed in the city of Vienna, EASTRIA, at 48.24 degree northern latitude and 16.42 degree eastern longitude. Sampling time is 24 hours for all samples.

The national particulate sampling system has a MDC of about 50 microBq/m<sup>3</sup> The national experimental noble gas system has MDC values about 1 mBq/m<sup>3</sup>.

In the particulate sample with collection stop August 2<sup>nd</sup> 2019 - 9:00 UTC among others (natural background) the following isotopic activity concentrations were detected:

Cs-137	Cs-134	I-131	La-140	Ba-140
0.5 mBq/m <sup>3</sup>	2.1 mBq/m <sup>3</sup>	0.06 mBq/m <sup>3</sup>	1.2 mBq/m <sup>3</sup>	1 mBq <sup>3</sup>

The noble gas system obtained the following measurements, all activity concentration values are given in mBq/m<sup>3</sup>:

Collection stop	Xe-133	Xe-135	Xe-133m	Xe-131m
2019/08/02 6 UTC	52	15	3.5	1.5
2019/08/03 6 UTC	121	7	6.6	
2019/08/04 6 UTC	24			
2019/08/05 6 UTC	6.4			
2019/08/06 6 UTC	6.7			
2019/08/07 6 UTC	93		2.5	1.6
2019/08/08 6 UTC	22			

Permanent Mission of the Federal Republic of Germany  
 to the Office of the United Nations and  
 to other International Organizations, Vienna

Ref No: Pol.51-371.17 B  
 Note No: 53/19

Verbal Note

The Permanent Mission of the Federal Republic of Germany to the Office of the United Nations and to other International Organizations, Vienna, presents its compliments to the Provisional Technical Secretariat of the Preparatory Commission for the Comprehensive Nuclear-Test-Ban Treaty Organization (CTBTO) and has the honour to request the latter's cooperation in the National Data Centre Preparedness Exercise 2019 (NPE2019) which started recently with the announcement of the first stage of the scenario. In this hypothetical NPE2019 scenario, set in a post-emergency force situation, the fictitious State of EASTRIA announced that a reactor accident had taken place on 30 July 2019 with release of some radionuclides. Simulated data for the IMS radionuclide network were provided to exercise participants who have the task of assessing compliance with the CTBT.

According to the Protocol to the CTBT, Part I, F, International Data Centre Functions, 18 (c), Germany hereby requests, on behalf of the fictitious NPE State of EASTRIA, assistance with expert technical analysis for radionuclide activity concentration data (activity simulated NPE2019 scenario data) which have been collected in EASTRIA's national capacity and are reported attached to this Note Verbal.

EASTRIA wishes to receive help in identifying the origin of those detections listed at the bottom. In particular, EASTRIA kindly requests:

1. Backward Atmospheric transport modelling for the given samples;
2. Search for (real) waveform events in the region of potential origin including events not yet included in IDC SEL/REB products; and
3. Analysis of the isotopic ratios and assessment of consistency to other scenario samples given on the NPE2019 website: <https://www.seismolabz.har.de/NPE-NPE19/>.

To the  
 Provisional Technical Secretariat of the  
 Preparatory Commission for the Comprehensive  
 Nuclear-Test-Ban Treaty Organization  
 Vienna International Centre  
 1140 Vienna

*NPE control team notified IDC Director informally by e-mail in Nov 2019 about idea and plan to request ETA within NPE 2019 and received a positive response.*

EXERCISE EXERCISE EXERCISE

**Exercise-SRMR  
(State Requested Methods Report)  
for the NPE2019-Exercise**


- Requesting State Party:** Eastria
- Date of request issuance:** 5 December 2019
- Date of request receipt:** 6 December 2019
- Event referred to by Eastria:** TRIGA reactor event according to the NPE2019 scenario
- Event location:** Pavia, RAETIA
- Event time:** 30 July 2019
- Event related data:** 24 IMS radionuclide samples as summarized in Appendix 1  
Eastria refers to these data as "other scenario samples of NPE2019"
- National data provided:** 8 national radionuclide samples as summarized in Appendix 2
- Quote of the request:** Eastria has provided national NPE2019 radionuclide measurements to the IDC and requests assistance with an Expert Technical Analysis to identify potential sources. Specifically EASTRIA asks for:
  1. Backward Atmospheric transport modelling for the given samples.
  2. Search for (real) waveform events in the region of potential origin including events not yet included in IDC SEL/REB products.
  3. Analysis of the isotopic ratios and assessment of consistency to other scenario samples of NPE2019.

Contents

- 1. Backward Atmospheric transport modelling for the given samples..... 2
- 2. Search for (real) waveform events in the region of potential origin including events not yet included in IDC SEL/REB products..... 5
- 3. Analysis of the isotopic ratios and assessment of consistency to other scenario samples of NPE2019..... 9
- Appendix 1 - 24 Mock-IMS radionuclide samples related to NPE2019..... 16
- Appendix 2 - Eight simulated national radionuclide samples provided by Eastria on 5 December 2019..... 17
- Appendix 3 - Backward Atmospheric transport modelling -animations..... 18

**IDC results on ETA request**

- ▶ Quick response (within 14 days) with an „Exercise State Requested Methods Report“
- ▶ Sticked closely to the specific questions given in the request
- ▶ Performed suitable ATM for the additional radionuclide data from Vienna
- ▶ Radionuclide analysis difficult, potential connection of Xe at DEX33 and Vienna recognized
- ▶ Considered waveform events listed in IDC products
- ▶ Identified small earthquake at Lake Constance 30 July, 5:32 UTC



**NPE 2019 timeline**

- November 2019  
Announcement, RN concentrations
- December 2019  
ETA, with additional NTM-RN SSRM
- January 2020  
Distribution of SRMR
- Februar 2020  
Additional seismic data
- April 2020  
Disclosure and discussion at NDC Workshop in Toledo
- June 2021  
Disclosure at S&T
- ? NDC discussion about results and future


### NPE 2019 Seismic event




#### Parameter of scenario event

Origin time	29 June 2019 23:17:47.9 UTC
Epicentre	47.739N 9.108E
Source depth	3 km
Magnitude	3.7 ML
Region	Lake Constance

#### Original Waveform Data



#### Modified NPE-data



Seismic data of regional station for two days (29/30 July 2019) were provided. Within the data the signature of the NPE 2019 event was manipulated to show somehow explosive characteristics.

#### NPE 2019 timeline

November 2019  
Announcement,  
RN concentrations

December 2019  
ETA, with additional NTM  
Exercise SRMR released

January 2020  
Distribution of SSRM

February 2020  
Additional seismic data

April 2020  
Disclosure and discussion at  
NDC Workshop in Toledo

June 2021  
Disclosure at S&T

? NDC discussion about  
results and future


Scenario with two radionuclide sources, non-compliance!

1

Intentional fire in spent fuel storage at TRIGA reactor, Pavia, with release of particulates:

Ba-140, La-140, Cs-134, Cs-137, I-131

Consistent with official announcement of Raetia



Unfortunately some RN scenario flaws:

- inconclusive  $^{140}\text{Ba}/^{140}\text{La}$  (ment to be „somehow equilibrium“)
- switched  $^{137}\text{Cs}/^{134}\text{Cs}$
- difficult ATM situation at the alps


2

Delayed xenon release from nuclear explosion in the ground of Lake Constance (Bodensee)

Xe-133, Xe-135, Xe-133m, Xe-131m

Special at DEX33: admixture of real xenon background

M3.6 2019/07/29 - 23:17:47 UTC Lat 47.75 Lon 9.07 Depth 5.0 km  
78 km NW of Vaduz, Liechtenstein ( pop: 8.200 local time: 01:17 2019/07/30 )  
25 km NE of Frauenfeld, Switzerland ( pop: 22.800 local time: 01:17 2019/07/30 )  
7 km W of L\u00f6rringen, Germany ( pop: 21.600 local time: 01:17 2019/07/30 )




## Summary NPE 2019

- ▶ Tricky non-compliance scenario with distraction release from intentional burning of spent reactor fuel (some shortcomings in isotopic composition)
- ▶ Some shortcomings in RN concentrations
- ▶ Fictitious nuclear explosion based on shallow ML 3.7 earthquake undetected in IDC pipeline
- ▶ First ETA request to IDC ever
- ▶ First time synthetically altered waveforms
- ▶ Delayed discussion and disclosure

## Venue for sharing of NPE2019 results among NDC yet to come...

**Short Discussion about NPE process and needs during S&T NDC session Friday 16-18**

## Outlook to NPE future



## NPE 2019 timeline

November 2019  
Announcement,  
RN concentrations

December 2019  
ETA, with additional NTM  
Exercise SRMR released

January 2020  
Distribution of SSRM

February 2020  
Additional seismic data

April 2020  
~~Disclosure and discussion at  
NDC Workshop in Toledo~~

June 2021  
Disclosure at S&T

? NDC discussion about  
results and future